Cloud Publications
International Journal of Advanced Ayurveda, Yoga, Unani, Siddha and Homeopathy
2026, Volume 15, Issue 1, pp. 1001-1006
ISSN: 2320–0251

Research Article

One Calcium Group, Three Distinct Drug Pictures: Exploring the Individuality of the Calcareas

Vinit Kumar and Sana Sarwar

Department of Homoeopathic Materia Medica, R.B.T.S. Govt. Homoeopathic Medical College & Hospital, Muzaffarpur.

Correspondence should be addressed Dr. Vinit Kumar, PG Scholar, *vinitpratap96@gmail.com*

Publication Date: 5 November 2026

Copyright © 2026 Dr. Vinit Kumar and Dr. Sana Sarwar. This is an open access article distributed under the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract The three calcium compounds of the homoeopathic pharmacopoeia, Calcarea carbonica, Calcarea phosphorica and Calcarea fluorica, share a tropism for bone, teeth, glands and connective tissue, and are therefore frequently confused at the bedside. This article compares them from the standpoint of origin, constitution, mental generals, physical generals, modalities, regional affinities and clinical relationships, drawing on classical materia medica texts. A comparative table, a conceptual diagram and a graded affinity chart are provided to aid differentiation. The central argument is that the three remedies represent three different disturbances of one theme: defective assimilation in Calcarea carbonica, defective construction in Calcarea phosphorica, and defective elasticity with induration in Calcarea fluorica.

Keywords *Calcarea carbonica; Calcarea phosphorica; Calcarea fluorica; comparative materia medica; tissue remedies; constitution*

Introduction

Calcium is a structural and regulatory element of the human body, forming the mineral matrix of bone and teeth and taking part in nerve conduction, muscle contraction and coagulation. In homoeopathic practice the calcium salts are among the most commonly prescribed polychrests and tissue remedies, and a postgraduate student is expected to distinguish them with confidence. The difficulty is practical: a child with delayed closure of the fontanelles, a woman with painful bones, or an elderly man with glandular hardness may fit more than one of these medicines superficially.

Hahnemann, in his Chronic Diseases, gave Calcarea carbonica a full pathogenesis and placed it among the antipsoric medicines [1]. Calcarea phosphorica and Calcarea fluorica entered the materia medica later; both are also included in Schüssler's twelve tissue remedies as Nos. 2 and 1 respectively [2]. Comparative study is therefore the most reliable way to fix their individuality, in keeping with the Organon's demand that the remedy be chosen by the peculiar and characteristic totality [3].

Source and Basic Nature

1. Calcarea carbonica (Calc.): prepared by trituration of the soft, inner, whitish layer of the oyster shell, as directed by Hahnemann, rather than from chemically pure calcium carbonate [1,4]. It is a deep-acting, long-acting polychrest.
2. Calcarea phosphorica (Calc-p.): tricalcium phosphate, the main inorganic component of bone and teeth. It is both a homoeopathic polychrest and tissue salt No. 2 [2,4].
3. Calcarea fluorica (Calc-f.): calcium fluoride, found in tooth enamel, bone surface and elastic tissue; tissue salt No. 1 [2,5].

Individual Drug Pictures

Calcarea carbonica

The typical subject is fair, fleshy and flabby, with a tendency to obesity, a pale and soft skin, and marked chilliness. Kent described the patient as one who takes cold easily, perspires on slight effort and is easily exhausted [6]. Perspiration of the head and neck during sleep, wetting the pillow, is a classical keynote, as is clammy, damp coldness of the feet, likened to wearing wet stockings [4,7].

Mentally, the patient is apprehensive and slow, with fears of disease, misfortune, contagion and losing reason. Overwork leads to a sense of mental fatigue and confusion [6,8]. Appetite is peculiar: desire for eggs, sweets and indigestible things such as chalk or slate pencils, and aversion to or aggravation from milk and fat [4,7]. Infants show open fontanelles, delayed dentition, late walking, a large head, a sour smell of body and stool, and recurring glandular swellings [4,9]. Menses tend to be early, profuse and prolonged. Aggravation occurs from cold, damp, exertion and standing, and relief from dry weather and lying on the painful side [4,6].

Calcarea phosphorica

The Calc-p. subject is usually tall, slender, dark-haired and thin, and is anaemic or poorly nourished despite adequate food. Nash recorded it as the medicine of children who are growing quickly yet remain weak, with slow union of fractures and defective bone formation [7]. The child may have unclosed fontanelles and sutures, headaches at school age with pain along the sutures, and tardy dentition [4,5].

The mind is restless and dissatisfied, with a longing to travel or to change place, a feature emphasised by Allen and Boger [10,11]. There is desire for salted and smoked meats, especially ham and bacon, and ravenous hunger, often with indigestion [4,10]. Pains in bones and joints are aggravated by change of weather, cold wind and melting snow, and relieved in warm, dry summer weather [4,11]. Calc-p. is also associated with convalescence, anaemia and weakness after acute disease [4].

Calcarea fluorica

Calc-f. is the remedy of tissue that has lost its elasticity or has hardened abnormally. It is useful for stony-hard glandular induration, bony outgrowths (exostoses), varicose veins, haemorrhoids, relaxed ligaments and prolapse, together with defective tooth enamel and cracks or fissures of the skin, especially of the palms [4,12]. Characteristic modalities include stiffness that eases with continued motion and aggravation in damp weather and on first movement, with amelioration from warmth and hot applications [4,9].

A recognised mental rubric is the fear of poverty, with anxiety about financial ruin despite adequate means [13]. This is sometimes confused with the Calcarea carbonica fear of misfortune, but in Calc-f. it is more particular and coupled with structural hardening in the body.

Comparative Analysis

Table 1 sets out the main points of differentiation. Figure 1 shows the conceptual relationship between the three remedies, and Figure 2 gives a graded view of regional affinity based on the author's reading of the cited sources.

Table 1. Comparative materia medica of the three Calcareas

Feature	Calcarea carbonica	Calcarea phosphorica	Calcarea fluorica
Build	Fair, fat, flabby	Tall, thin, slender	Lax tissue; hard local deposits
Core pathology	Defective assimilation	Defective bone nutrition and growth	Loss of elasticity; induration
Thermal state	Chilly, damp-sensitive	Chilly, sensitive to weather change	Chilly; better from heat
Mind	Anxious, slow, fears disease and insanity	Restless, dissatisfied, wants change	Fear of poverty, anxious about money
Food desires	Eggs, sweets, indigestibles; milk disagrees	Salted, smoked meat; ravenous hunger	No marked pattern; desire for stimulants noted in some texts
Perspiration	Profuse on head at night; cold, damp feet	Scanty to moderate; cold sweat in debility	Not characteristic
Bones / teeth	Late dentition, rickets, open fontanelles	Slow fracture union, sutural pains, poor bone growth	Exostoses, nodes, defective enamel
Glands / skin	Soft swelling of glands; eczema, warts	Enlarged tonsils and adenoids	Stony-hard glands; palmar cracks
Modalities worse	Cold, damp, exertion, full moon	Change of weather, cold wind, thawing	Damp weather, rest, first motion
Modalities better	Dry weather, lying on painful side	Warm dry summer weather	Heat, rubbing, continued motion
Typical potency range	30C to 1M, spaced doses	30C to 200C; 6X/12X as tissue salt	30C to 200C; 6X/12X as tissue salt




Figure 1. Conceptual diagram of the Calcarea group, showing source, constitution and core theme.




Figure 2. Grading of regional affinity (0 to 3) assigned by the author from the cited materia medica texts. This is a teaching aid, not statistical or experimental data.

Mental and constitutional comparison

The three remedies differ most clearly in disposition. Calc. is cautious, fearful and dependent on routine, and becomes anxious under pressure or when work and responsibilities mount. Calc-p. is the opposite, wanting novelty, travel and a change of surroundings, and is easily discontented at home. Calc-f. is anxious in a more narrowly defined way, with the financial fear above all, and often has a history of structural weakness such as varicosities or hernia [6,10,13].

Comparison in paediatric practice

Paediatric cases are the commonest source of confusion. Table 2 gives a practical summary.

Table 2. Differentiation of the three remedies in children

Symptom	Calc. carb.	Calc. phos.	Calc. fluor.
Appearance	Chubby, large head, pale, soft	Thin, wasted, long limbs	Normal or lax; hard nodes
Fontanelles	Open, late closing, sweaty head	Open, with slow ossification	Rarely the main feature
Dentition	Late, with diarrhoea and sweating	Late, decay early	Poor enamel, loose teeth
Stool	Sour, chalky, undigested	Green, hot, with hunger	Constipation with straining
Temperament	Obstinate, fearful, slow	Fretful, wants to be carried about	Anxious, insecure

Relationships and differential remedies

Calcarea carbonica follows well after Lycopodium and is described as acutely complementary to Belladonna [4,6]. Calc-p. should be compared with Phosphorus (tall, thin, but with open and sympathetic mind), Silicea (slow suppuration, chilly) and Calcarea carbonica when sweating and obesity are present [5,7]. Calc-f. is compared with Silicea for suppuration and hardness, Rhus toxicodendron for stiffness better from motion, and Hecla lava for bony growths [4,9].

Differences in practice are subtle, so confirmation against a standard repertory is advisable [13,14].

Clinical Pointers for the Postgraduate Student

4. Constitution leads, pathology follows. A flabby, sweaty child with large head and open fontanelles points to Calc., whereas a lean, restless child of the same age with weak bones points toward Calc-p. [4,7].
5. Look for the question of tissue quality. Hard, stony or inelastic tissue with cracks or exostoses suggests Calc-f. over the other two [4,12].
6. Avoid reflex prescribing on a single keynote. Kent warned against letting a single symptom override the general state of the patient [6].
7. Potency and repetition follow the Organon principles: the deep Calcarea carbonica should be repeated cautiously, while the tissue salts in lower potencies tolerate more frequent dosing [3,9].

Discussion

The three calcium remedies are best seen as a single family expressing a gradient. Calcarea carbonica corresponds to a slow, damp, heavy metabolism with a fearful mind. Calcarea phosphorica corresponds to a restless, lean organism that cannot lay down good bone and blood despite the effort of growth. Calcarea fluorica corresponds to tissue that is either too slack or too hard. These ideas are interpretive and rest on the symptomatology reported by the authors cited here, rather than on controlled trials. Students should recognise this limitation and use the tissue-salt rationale of Schüssler only as an adjunct to the individualised homoeopathic approach [2,3]. Further clinical research, including case series with structured follow-up, would help to refine the distinctions presented in this comparison.

Conclusion

Calcarea carbonica, Calcarea phosphorica and Calcarea fluorica share a tropism for bone, teeth and connective tissue but differ in constitution, mental state, modalities and the nature of the tissue disturbance. Careful comparison, rather than reliance on one keynote, avoids error and helps the physician to prescribe the remedy that most closely matches the individual patient.

References

[1] Hahnemann S. The Chronic Diseases: Their Peculiar Nature and Their Homoeopathic Cure. Tafel LH, translator. New Delhi: B. Jain Publishers; reprint edition (original work published 1828).

[2] Boericke W, Dewey WA. The Twelve Tissue Remedies of Schüssler. New Delhi: B. Jain Publishers; reprint edition.

[3] Hahnemann S. Organon of Medicine. 6th ed. Dudgeon RE, Boericke W, translators. New Delhi: B. Jain Publishers; reprint edition.

[4] Boericke W. Pocket Manual of Homoeopathic Materia Medica and Repertory. 9th ed. New Delhi: B. Jain Publishers; reprint edition.

[5] Allen HC. Keynotes and Characteristics with Comparisons of Some of the Leading Remedies of the Materia Medica. New Delhi: B. Jain Publishers; reprint edition (original work published 1898).

[6] Kent JT. Lectures on Homoeopathic Materia Medica. New Delhi: B. Jain Publishers; reprint edition (original work published 1904).

[7] Nash EB. Leaders in Homoeopathic Therapeutics. New Delhi: B. Jain Publishers; reprint edition (original work published 1898).

[8] Clarke JH. A Dictionary of Practical Materia Medica. Vols 1 to 3. New Delhi: B. Jain Publishers; reprint edition.

[9] Phatak SR. Materia Medica of Homoeopathic Medicines. 2nd ed. New Delhi: B. Jain Publishers; reprint edition.

[10] Boger CM. A Synoptic Key of the Materia Medica. New Delhi: B. Jain Publishers; reprint edition (original work published 1915).

[11] Tyler ML. Homoeopathic Drug Pictures. New Delhi: B. Jain Publishers; reprint edition.

[12] Vithoulkas G. Materia Medica Viva. Alonissos: International Academy of Classical Homeopathy; edition as available.

[13] Murphy R. Homeopathic Medical Repertory: A Modern Alphabetical Repertory. Pagosa Springs: Hahnemann Clinic Publishing; edition as available.

[14] Kent JT. Repertory of the Homoeopathic Materia Medica. New Delhi: B. Jain Publishers; reprint edition.