Cloud Publications
International Journal of Advanced Ayurveda, Yoga, Unani, Siddha and Homeopathy
2026, Volume 15, Issue 1, pp. 1007-1013
ISSN: 2320–0251

Research Article

Concomitants as a Diagnostic and Prescribing Tool in Homoeopathic Materia Medica

Sana Sarwar

Department of Homoeopathic Materia Medica, R.B.T.S. Govt. Homoeopathic Medical College & Hospital, Muzaffarpur.

Correspondence should be addressed to Dr. Sana Sarwar, PG Scholar, *sanasarwar1310@gmail.com*

Publication Date: 5 November 2026

Copyright © 2026 Dr. Sana Sarwar. This is an open access article distributed under the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract Individualisation in homoeopathy depends on selecting symptoms that distinguish one patient from another suffering from the same disease. Among these, concomitant symptoms, which accompany the chief complaint without belonging to its usual pathology, hold a special place. They were developed into a formal concept by Boenninghausen and remain useful where mental and general symptoms are scanty, as in acute illness, paediatric cases and cases dominated by pathology. This article reviews the origin and definition of concomitants, proposes a working classification, shows how they serve both as a diagnostic aid in remedy differentiation and as a prescribing guide, describes a stepwise method for using them, and discusses their limitations. Tables, a conceptual diagram, a decision flowchart and a chart illustrate the discussion.

Keywords *concomitant symptoms; Boenninghausen; complete symptom; individualisation; materia medica; repertorisation*

Introduction

A diagnosis of pneumonia, migraine or dysentery tells a homoeopath little about which medicine to prescribe, because the symptoms that define the disease are common to all who suffer from it. Hahnemann instructed that the physician should lean on the striking, singular, uncommon and peculiar signs of the case rather than on the general features of the disease [1]. Within a patient's picture, it is often a small accompanying symptom, such as an unusual thirst, a sudden need to urinate or an unexpected nausea, that points most directly to a single remedy. These accompanying symptoms are called concomitants. Their value has long been recognised in teaching, yet students often confuse them with ordinary associated symptoms or ignore them in favour of mental generals. This article aims to clarify the concept and demonstrate its practical use in the study of materia medica.

Concept and Historical Background

Definition

A concomitant symptom is one that appears together with the chief complaint but has no evident pathological or causal link with it. A cough with expectoration is not a concomitant, since the two

belong together. A cough accompanied by nausea that persists regardless of vomiting is a concomitant, because the stomach has no usual place in the cough's pathology [2,3]. The test is therefore not time alone but the absence of an expected connection.

Hahnemannian roots and Boenninghausen's contribution

The Organon sets out the totality of symptoms as the sole basis of prescription (§§ 7, 18) and describes in detail how the physician should record the case (§§ 83 to 104). Section 153 directs special attention to the symptoms that are striking, singular, uncommon and peculiar [1]. Boenninghausen built on this by structuring each symptom into four elements: location, sensation, modality and concomitant. He presented this scheme in his Therapeutic Pocket Book, later translated and adapted by Allen and Boger [4,5]. In his system, a concomitant could serve to complete a symptom that was otherwise too general to point to a medicine.

Later teachers placed different emphasis on the concomitant. Kent's approach gave priority to the mental and general symptoms, ranking particulars lower [6]. Roberts and Close, on the other hand, discussed the practical use of accompanying symptoms in clinical reasoning and the need to see symptoms as a whole [7,8]. The discipline thus holds both views: the concomitant does not replace the general state of the patient, but it can decide between medicines when the general state fits several.




Figure 1. The four elements of a complete symptom in the Boenninghausen scheme.

Classification of Concomitants

For teaching, concomitants may be grouped by the sphere in which they appear (Table 1). The grouping is the author's working scheme, derived from the cited materia medica texts, and is not an official standard.

Table 1. Working classification of concomitants with examples

Type	Description	Example	Remedy
Mental concomitant	Emotional state arising only with a particular complaint	Anguish and restlessness accompanying pain or fever	Arsenicum album
General concomitant	Whole-body function, such as thirst, thermal state or sweat	Thirstlessness during fever or oedema	Pulsatilla, Apis mellifica
Remote organ concomitant	Disturbance in an organ not part of the disease	Headache with copious pale urine	Gelsemium sempervirens

Type	Description	Example	Remedy
Functional / sensory concomitant	Digestive, sensory or motor feature appearing with a complaint	Constant nausea with cough or bleeding	Ipecacuanha

Concomitants as a Diagnostic Tool

In homoeopathic usage, diagnosis in the practical sense means identification of the remedy picture in the patient, which Hahnemann called the artificial disease to be matched with the natural one [1]. Concomitants help in three ways.

1. Differentiation within one disease. Several remedies may cover the same fever or headache, and the accompanying feature separates them (Table 2).
2. Completion of an incomplete symptom. A bare complaint of pain gains meaning only when location, sensation and modality are filled in, and the concomitant often supplies the missing element [4,5].
3. Recognition of the individual in a common illness. In epidemics or common acute conditions, many patients share the pathognomonic features, so the concomitant is the main point of difference [2,7].

Table 2. Concomitants separating remedies in febrile states and related complaints

Remedy	Chief complaint	Concomitant (distinguishing feature)	Key contrast
Bryonia alba	Fever, headache, cough	Thirst for large quantities at long intervals; dry mouth; worse from motion	Thirst present, large
Arsenicum album	Fever, diarrhoea, burning pains	Thirst for small quantities, often; restlessness with weakness	Thirst present, small
Pulsatilla nigricans	Fever, cold, digestive upset	Thirstlessness even with dry mouth; wants open air	Thirst absent
Apis mellifica	Fever, swelling, stinging pain	Absence of thirst with heat or oedema	Thirst absent, swelling
Gelsemium sempervirens	Headache, influenza	Copious urine with or relieving the headache; drowsiness, trembling	Urinary relief
Eupatorium perfoliatum	Fever, bone pains	Thirst before and during the chill; bruised soreness in bones	Thirst with chill
Ipecacuanha	Cough, bleeding, asthma	Constant nausea not relieved by vomiting	Nausea with any complaint




Figure 2. Illustrative grading of the thirst concomitant in febrile states. The scale is the author's teaching summary from the cited texts and does not represent experimental data.

Concomitants as a Prescribing Tool

When concomitants carry the most weight

4. Acute illness, where time is short and the person's mental generals are masked by pain or fever.
5. Paediatric and non-communicative patients, such as infants and the unconscious, from whom mental symptoms cannot be drawn [4,7].
6. Cases dominated by pathology, where common symptoms of the disease overshadow the individual.
7. Cases in which several remedies cover the generals equally and a further point is needed to decide.

A stepwise method

Figure 3 shows a practical sequence. The key step is the filter that removes expected or pathognomonic symptoms; without it the physician may over-value symptoms common to the disease. The remaining accompanying symptoms are graded by how strange, rare and peculiar they are in the sense of §153, and by their consistency across the course of illness [1,7].




Figure 3. Stepwise method for using concomitants in case analysis.

Repertorial use

Repertories differ in how they accommodate concomitants. The Boenninghausen-based repertories group them under dedicated sections and are therefore convenient for symptom completion [4,5]. Kent's Repertory lists them chiefly in the general and particular rubrics [9], while modern computer repertories such as Synthesis allow cross-reference between rubrics from several sources [10]. Whatever tool is used, the student should compare the repertory result with the materia medica description before prescribing, because rubrics may overstate a remedy's range.

An illustrative teaching example

The following vignette is constructed for teaching and does not describe an actual patient. A man of thirty-five presents with a headache preceded by dim vision and a heavy, drowsy feeling. He is not thirsty and trembles slightly. The headache eases after he passes a large quantity of clear urine. Headache, drowsiness and thirstlessness are common enough in many remedies, but relief from profuse urination is a distinctive concomitant that links the picture to Gelsemium sempervirens [2,3]. The prescription is then confirmed against the remedy description.

Limitations and Cautions

Concomitants are not free of risk. Table 3 distinguishes a true concomitant from symptoms that merely look like one.

Table 3. Distinguishing a true concomitant from a pathognomonic or incidental symptom

Criterion	True concomitant	Pathognomonic or incidental symptom
Relation to disease	No usual link to the chief complaint	Expected part of the disease
Consistency	Recurs with the complaint over time	Appears once or only by chance
Peculiarity	Strange, rare or unexpected	Common to most patients
Reliability	Observed by the physician or confirmed on enquiry	Suggested by leading questions
Weight in prescription	High, if peculiar and constant	Low or none

Several cautions follow. First, leading questions can create concomitants that do not exist, so enquiry should be open before it becomes specific [1]. Second, a single concomitant should not outweigh a clear and consistent general picture, an error that Kent warned against in his teaching on totality [6]. Third, the evidence for the concomitant method rests largely on classical experience and clinical tradition. Well-designed observational studies and case series would help to test its reliability and are a fair subject for postgraduate research.

Conclusion

Concomitants are the link between the common features of a disease and the individuality of the patient. They complete the symptom as Boenninghausen intended, separate remedies that look alike, and guide prescription when mental and general symptoms are limited. Used with a clear filter, careful enquiry and confirmation in the materia medica, they remain a dependable part of homoeopathic case analysis.

References

[1] Hahnemann S. Organon of Medicine. 6th ed. Dudgeon RE, Boericke W, translators. New Delhi: B. Jain Publishers; reprint edition.

[2] Boericke W. Pocket Manual of Homoeopathic Materia Medica and Repertory. 9th ed. New Delhi: B. Jain Publishers; reprint edition.

[3] Clarke JH. A Dictionary of Practical Materia Medica. Vols 1 to 3. New Delhi: B. Jain Publishers; reprint edition.

[4] Boger CM, translator. Boenninghausen's Characteristics and Repertory. New Delhi: B. Jain Publishers; reprint edition (original English work published 1905).

[5] Boenninghausen CMF von. The Lesser Writings of C. M. F. von Boenninghausen. Allen TF, translator. New Delhi: B. Jain Publishers; reprint edition.

[6] Kent JT. Lectures on Homoeopathic Philosophy. New Delhi: B. Jain Publishers; reprint edition (original work published 1900).

[7] Roberts HA. The Principles and Art of Cure by Homoeopathy. New Delhi: B. Jain Publishers; reprint edition (original work published 1936).

[8] Close S. The Genius of Homoeopathy: Lectures and Essays on Homoeopathic Philosophy. New Delhi: B. Jain Publishers; reprint edition (original work published 1924).

[9] Kent JT. Repertory of the Homoeopathic Materia Medica. New Delhi: B. Jain Publishers; reprint edition.

[10] Schroyens F. Synthesis Repertory. London: Homeopathic Book Publishers; edition as available.

[11] Allen HC. Keynotes and Characteristics with Comparisons of Some of the Leading Remedies of the Materia Medica. New Delhi: B. Jain Publishers; reprint edition (original work published 1898).

[12] Nash EB. Leaders in Homoeopathic Therapeutics. New Delhi: B. Jain Publishers; reprint edition (original work published 1898).